

Release Note

Discovery Tool V0.37

Document ID:	V0.37
Software name:	Discovery Tool V0.37
Released:	18th Oct 2023
Release Tag:	discover_v0037_20231018
Package name:	V0.37
Platform requirements:	This package contains a tool to "discover" Barix devices within a local environment. It is implemented in Java, requiring Java Standard Edition 5 or later. As the application has a GUI, the X-Window system is required when running on Linux/FreeBSD and other *NIX systems.

© 2020 Barix AG, all rights reserved. All information is subject to change without notice. All mentioned trademarks belong to their respective owners and are used for reference only.

1 Hardware Compatibility

This Software is intended to run on all PC environments for which Java Edition 5 JRE or later is supported. For Edition 5 the support for the "start browser" feature is more specifically targeted at the following operating systems:

- Mac OS X
- GNU/Linux
- Unix
- Windows XP/Vista/7/10

2 New Features

The following new features have been implemented in the V0.37 V0.37 (since **V0.36**):

Added HW types (since V0.36):

- Synstreamer LOX400 (76)
- Barionet M41 (77)
- BaViDi (78)
- AE MS700 (79)
- Barix LX400 (80)

Added IPAM types (since V0.36):

- IPAM 403 (9)
- IPAM 404 (10)

<u>3 Bugs Fixed In This Version</u>

None

4 Known Issues

None.

5 Major Modifications

Properly indented with tabs all files to have uniform formatting.

6 References

	Document
[1]	Discovery Tool User Guide <u>V0.37</u>

7 Legal Information

© 2023 Barix AG, Zurich, Switzerland.

All rights reserved.

All information is subject to change without notice.

All mentioned trademarks belong to their respective owners and are used for reference only. Barix and Discovery Tool are trademarks of Barix AG, Switzerland and are registered in certain countries.

For information about our devices and the latest version of this manual please visit <u>www.barix.com</u>.

Barix AG Limmatstrasse 21 8005 Zürich SWITZERLAND

T +41 43 433 22 11 F +41 44 274 28 49

www.barix.com sales@barix.com support@barix.com